


LAGERSTRÖM
BALLOTA pergola
Mounting instructions - Ground bolted version




01.

Assemble 2 frames, the front and back sides of the pergola.

Each frame is made of 2 leg posts (220cm), 2 corner pieces and a cross beam (200cm). Note the difference in length!

The parts connect using bolts with the attachment connectors (the inner tubes shown in grey)


Use nuts and bolts to **tightly** assemble the frames.




02.

The frames are placed on the base pieces that include a ground plate. Fasten the leg post to the base part as shown with bolts, nuts and washers.

LAGERSTRÖM
BALLOTA pergola
Mounting instructions - Ground bolted version




Back and front frames,
attached to the base plates.



03.

When attaching the leg posts
to form the 2 frames, connect
also these L-shaped
connectors as shown. 4
connectors that will hold the 4
sided structure together.


LAGERSTRÖM
BALLOTA pergola
Mounting instructions - Ground bolted version



04.

Assemble the next 2 frames - the sides of the pergola.


Each frame is made of 2 leg posts, 2 corner pieces and the side cross beam (that has 2 perpendicular bits). Parts connect using bolts with the attachment connectors (the inner tubes shown in grey)



05.


Attach the 2 center cross-beams and then place the side frames on the base parts with the ground plates.

LAGERSTRÖM
BALLOTA pergola
Mounting instructions - Ground bolted version



06.

When all the 4 frames are assembled and placed on the base parts, link them together with the L-shaped corner connectors.




07.

At this stage, place the whole structure in the exact final location and attach to ground with expandable bolts.

Use anchoring glue to strengthen the connection.


Anchor to asphalt or a similar stable surface.

LAGERSTRÖM
BALLOTA pergola
Mounting instructions - Ground bolted version



08.

Place roof segments as shown and connect to the beams with bolts.



09.

Each roof segment is attached with 3 bolts to the outer frame and 2 bolts to the one next to it towards the center of the pergola.

LAGERSTRÖM
BALLOTA pergola
Mounting instructions - Ground bolted version

