

LAGERSTRÖM FLORIBUNDA Garden Portal

CAST WITH CONCRETE ON SITE Mounting instructions




Place the top arch on the 2 side frames.



LAGERSTRÖM FLORIBUNDA Garden Portal

CAST WITH CONCRETE ON SITE Mounting instructions




Connect the corner braces to the side frames with bolts, nuts and washers as seen in the images. 4 bolts on every support piece. In total 16 bolts.





LAGERSTRÖM FLORIBUNDA Garden Portal


CAST WITH CONCRETE ON SITE Mounting instructions



04.

Prepare 2 casting pits with the dimensions : L80 W40 D30cm

Center the pits in relation to the position of the side frames (this distance varies with different portal models)



05.

Connect with wire **on each side** 3st L70cm dia. 6mm rods to the underground frame extensions. This is to stregthen the concrete cast and make it armoured.

Use Temporary supports to position the portal for the concrete casting. Make sure the side frames are vertical and that the bottom side of the pattern frame is aligned with the ground level.

LAGERSTRÖM FLORIBUNDA Garden Portal CAST WITH CONCRETE ON SITE Mounting instructions





Fill the pits with concrete to grond level. Let it set.

Cover the concrete cast with soil or gravel.

The portal is fully mounted.

